

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 43] NEW DELHI, SATURDAY, NOVEMBER 8, 1958/KARTIKA 17, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th October, 1958

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.		
Andhra Pradesh								Madras							
"N. R."								Madras City .							
Assam								Chingleput .							
United Khasi and Jaintia Hills .								South Arcot .							
Go lpara .								Tiruchirappalli .							
Kamrup .								Tanjore .							
TOTAL .								Madurai .							
Total for w/e 4-10-58 .								North Arcot .							
Total for w/e 27-9-58 .								Salem .							
Bihar								Coimbatore .							
"N. R."								TOTAL .							
Bombay								Total for w e 4-10-58							
"N. R."								Total for w/e 27-9-58							
Delhi								Manipur							
"N. R."								TOTAL .							
Himachal Pradesh								Total for w/e 4-10-58							
"N. R."								Total for w/e 27-9-58							
Kerala								Mysore							
Kottayam .								"N. R."							
Trichur .								Orissa							
Malabar .								"N. R."							
TOTAL .								Pondicherry							
Total for w/e 4-10-58 .								TOTAL .							
Total for w/e 27-9-58 .								Total for w/e 4-10-58							
Madhya Pradesh								Total for w/e 27-9-58							
"N. R."															

Explanation of symbols used:—C=Cases; D=Deaths; . = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 11th October, 1958—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Punjab								Bombay							
"N.R."								w/e 4-10-58							
Rajasthan								Ahmedabad . .	6	2
"N.R."								Baroda . .	1
Tripura								Broach . .	37	11
"N.R."								Surat . .	57	20
Uttar Pradesh								Ahmednagar . .	2	1	8
Ballia	4	East Khandesh . .	10	2	1	3
Bara Banki . .	23	16	Kol . .	3	1
Farrukhabad	1	Nasik . .	3	2	3
Faizabad	1	South Satara	9	2
Garhwal	6	Sholapur . .	7	2
Lucknow . .	10	..	1	W. Khandesh . .	26	9
Muzaffarnagar . .	20	8	Akola . .	3	2
Mirzapur	2	Amraoti . .	17	7	10	1
Saharanpur	1	Buldhana . .	13	7
Moradabad	1	1	Chanda . .	10	2	12
TOTAL . .	53	24	17	1	Nagpur . .	16	7	5
Total for w/e 4-10-58	56	26	6	3	Wardha . .	7	3
Total for w/e 27-9-58	45	13	13	8	Aurangabad . .	1	1
West Bengal								Bhir . .	16	6
"N.R."								Nanded . .	5
Total for India (excluding Andhra Pradesh, Bihar, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, Mysore, Orissa, Punjab, Rajasthan, Tripura and West Bengal.	67	32	248	77	Osmanabad . .	3	3
Corresponding Total for w/e 4-10-58	58	28	245	61	TOTAL . .	243	88	48	6
Corresponding Total for w/e 27-9-58	45	13	267	80	Rajasthan							
ARREAR INFORMATION								w/e 4-10-58							
Mysore								Jaipur . .	1	2
w/e 4-10-58								Jalore	7	2
Bangalore	1	1	TOTAL . .	1	2	7	2
Chitradurga . .	2	Assam							
Mandya	6	w/e 6-9-58							
Mysore	114	19	Cachar	1	1
Bijapur . .	9	1	United Khasi and Jaintia Hills	10	4
Coorg (Mercara)	2	Kamrup	1
TOTAL . .	11	1	123	20	TOTAL	12	5
								w/e 13-9-58							
								Goalpara	3
								TOTAL	3

Explanation of Symbols used:—C. = Cases; D. = Deaths; .. Nil; "N.R." Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th October, 1958—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Assam contd.								Andhra Pradesh contd.							
<i>w/e 20-9-58</i>															
Goalpara	1	West Godavari	9	2	6	1
Kamrup	1	Krishna	20	12	7	1
TOTAL	2	Guntur	9	4	32	6
<i>w/e 27-9-58</i>								Nellore	10	1
United Khasi and Jaintia Hills	6	2	Kurnool	104	44
Kamrup	1	Cuddapah	10	4	12	2
TOTAL	7	2	Anantapur	13	5	6	4
Andhra Pradesh								Chittoor	8	4
<i>w/e 6-9-58</i>								Warangal	47	41
Srikakulam	22	14	6	3	Khammam	5	4
Visakhapatnam	42	29	2	1	Karimnagar	9	3	1	1
East-Godavari	12	3	Adilabad	10	7
West Godavari	31	18	4	Nizamabad	2
Krishna	43	21	Nalgonda	27	14
Guntur	21	14	23	1	Hyderabad	32	8
Nellore	1	TOTAL	369	197	89	24
Kurnool	68	39	<i>w/e 20-9-58</i>							
Cuddapah	18	4	Srikakulam	15	8
Anantapur	35	12	15	9	Visakhapatnam	25	15	3
Chittoor	6	5	East Godavari	14	11	1
Warangal	145	76	West Godavari	16	7	..	1
Khammam	14	6	Krishna	25	12	8
Karimnagar	8	6	Guntur	12	3	8	3
Adilabad	5	1	Nellore	15	5	11	2
Nizamabad	Kurnool	127	59
Medak	2	Cuddapah	4
Nalgonda	37	16	Anantapur	10	4	7
Mahbubnagar	6	3	Chittoor	20	1
Hyderabad	1	Warangal	27	22	3	4
TOTAL	510	262	57	19	Khammam	1
<i>w/e 13-9-58</i>								Karimnagar	2	2
Srikakulam	8	5	2	2	Nizamabad	4
Visakhapatnam	1	1	2	2	Nalgonda	25	11
East Godavari	63	43	3	Hyderabad	3	2
								TOTAL	321	161	65	11

Explanation of symbols used : —C. = Cases; D. = Deaths; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th October, 1958—concl'd.

CHOLERA							CHOLERA								
C.		D.		C.		D.		C.		D.		C.		D.	
Andhra Pradesh—contd.							Punjab								
w/e. 27-9-58							w/e 27 9-58								
Srikakulam . . .	22	11	6	4	Karnal . . .	4	2
Visakhapatnam . .	8	8	2	1	Gurdaspur	1
East Godavari . .	32	19	1	1	TOTAL . . .	4	2	1
West Godavari . .	18	10	13	5	w/e 4-10-58								
Krishna . . .	16	9	9	2	TOTAL
Guntur . . .	33	13	15	3	Kerala								
Nellore	16	2	w/e 4-10-58								
Kurnool . . .	122	67	Quilon	5
Cuddapah . . .	1	..	9	Allepey	1
Anantapur . . .	11	4	12	3	Malabar	2
Chittoor	32	10	TOTAL	6	2
Warangal . . .	9	6	REMARKS								
Khammam . . .	16	11	No epidemics or heavy incidence of cholera or small-								
Adilabad . . .	6	5	pox was reported from any part of the country.								
Nalgonda . . .	6	2									
TOTAL . . .	300	165	115	31									

Explanation of symbols used:— C=Cases; D=Deaths; ..=Nil; "N.R."= Information not received.

NEW DELHI-2 (INDIA);

The 3rd Nov. 1958.

H. R. SHARMA,

for Registrar General, India

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES		Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES		4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS		2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES		
Issue Prices : Rs. 3,325/-, Rs. 6,650/-, Rs. 13,300/-, & Rs. 26,600/-		Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX		
For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.		INVEST IN INDIA'S FUTURE

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958

Towns	Mid-year Popn. Est. (000)	B.	B.R. *	Deaths from —							Total	D.R.*	I.D.
				C	S.	P.	F.	D.D.	R.D.	M.D.			
Andhra Pradesh				"N.R."									
Assam				"N.R."									
Bihar				"N.R."									
Bombay				"N.R."									
Delhi				"N.R."									
Kerala				"N.R."									
Madhya Pradesh				"N.R."									
Madras													
Ambur	48	40	43.3	2	1	7	7.6	2
Arrupukottar	62	47	39.4	2	3	2	..	15	12.6	2
Bodinayakanur	43	21	25.4	2	1	..	6	7.3	3
Chidambaram	43	36	43.5	1	..	13	15.7	3
Coimbatore	267	279	54.4	2	11	7	..	82	16.0	25
Cuddalore	76	74	50.6	1	1	2	..	18	12.3	3
Dindigul	100	34	17.7	2	1	11	5.7	3
Erode	77	58	39.2	1	3	..	11	7.4	5
Gobichettipalayam	48	20	21.7	1	..	2	2.2	..
Gudiyattam	58	33	29.6	3	..	14	12.6	4
Kancheepuram	93	81	45.3	4	5	10	..	37	20.7	6
Karaikudi	47	38	42.0	2	4	11	12.2	1
Karur	57	47	42.9	..	1	..	1	..	2	..	13	11.9	2
Kumbakonam	115	135	61.0	6	6	5	3	73	33.0	9
Madras City	2,011	1,756	45.4	..	31	..	121	108	157	4	759	19.6	227
Madurai	488	352	37.5	9	7	13	..	102	10.9	33
Mayuram	53	55	54.0	2	1	20	19.6	4
Maliapalayam	43	15	18.1	1	..	1	..	4	4.8	2
Nagapattinam	62	58	48.6	3	1	3	..	22	18.5	9
Nagercoil	109	60	28.6	..	1	..	3	2	1	..	16	7.6	3
Ootacamund	53	35	34.3	1	2	..	8	7.8	3
Palni	44	37	43.7	1	..	3	..	14	16.5	5
Palayamkottai	48	61	16.1	1	..	12	13.0	1
Periyakulam	35	32	47.5	2	1	..	6	8.9	3
Pollachi	60	30	26.0	1	2	..	10	8.7	3
Pudukottai	54	51	49.1	1	..	21	20.2	5
Rajapalayam	74	37	26.0	2	3	3	..	14	9.8	4
Salem	279	170	31.7	6	8	19	1	69	12.9	11
Sriangam	46	33	37.3	1	1	..	6	6.8	1
Srivilliputtur†													
Tanjore	133	110	43.0	5	3	3	3	48	18.8	8
Tiruchirappalli	276	173	32.6	2	4	5	..	55	10.4	9
Tirunelveli	84	66	40.9	1	2	3	..	21	13.0	5
Tiruppur	73	45	32.1	2	1	3	..	15	10.7	3
Tiruvannamalai	47	48	53.1	2	..	3	1	12	13.3	5
Tuticorin	121	8	3.4	1	2	0.9	1
Vaniyambadi	45	32	37.0	2	5	5.8	1
Vellore	141	125	46.1	1	4	14	1	60	22.1	14
Villapuram	42	29	35.9	1	7	8.7	1
Virudhunagar	57	39	35.6	3	3	1	..	14	12.8	3
TOTAL	5,612	4,400	40.8	185	188	279	15	1,635	15.1	432

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Favus; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (Included in total deaths); .. = Nil Information; "N.R." = information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Town	Mid.-year Popn. Est.* (000)	B.	B.R.*	C.	Deaths from:—							Total	D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.				
Mysore														
Bangalore . . .	1,246	517	21.6	3	30	57	..	197	8.2	6	
Mysore . . .	347	58	8.7	8	6	3	..	56	8.4	3	
Kolar Gold Fields . . .	180	106	30.6	2	3	3	1	31	9.0	..	
Bellary . . .	83	72	45.1	2	1	2	..	17	10.7	3	
Davangere . . .	85	25	15.2	3	7	4.3	..	
Shimoga . . .	68	36	27.5	9	1	1	..	14	10.7	1	
Bhadravati†														
Hospet . . .	51	25	25.4	1	1	1	1	6	6.1	..	
Tumkur†														
Kolar†														
Chitaldrug . . .	37	5	7.0	..	
Hassan†														
Bidar†														
Gulbarga†														
Raichur†														
Bijapur†														
Belgaum . . .	110	110	52.0	4	2	1	..	12	5.7	5	
Dharwar†														
Bagalkot . . .	39	42	56.0	2	1	2	1	12	16.0	..	
Mangalore†														
Gadag Betegere . . .	73	72	51.2	13	..	1	..	24	17.0	..	
Hubli†														
TOTAL	2,319	1,063	23.8	47	45	71	3	381	8.5	18	
Orissa					"N.R."									
Pondicherry					"N. R."									
Rajasthan														
Ajmer . . .	244	146	31.1	14	3	15	..	50	10.7	11	
Alwar†														
Beawar†														
Bharatpur†														
Bikaner†														
Churu . . .	52	2	2.0	1	1	1.9	..	
Ganganagar†														
Jaipur†														
Jodhpur†														
Kota†														
Sikar†														
Tonk†														
Udaipur†														
TOTAL	296	148	26.0	15	3	15	..	51	9.0	11	
Uttar Pradesh														
Agra . . .	404	252	32.4	2	4	30	..	56	7.2	21	
Allahabad . . .	372	207	28.9	3	2	24	..	66	9.2	12	
Amroha . . .	61	73	62.2	6	4	4	..	47	40.1	12	
Bahraich . . .	49	30	31.8	6	..	1	..	11	11.7	4	
Banaras†														
Banda†														
Bareilly . . .	206	77	19.4	21	14	10	..	60	15.1	14	
Basti†														
Ballia†														
Bijnor†														
Budaun . . .	55	50	47.3	8	1	3	..	20	18.9	10	
Bulandshahr †														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Town	Mid-year Popn-Est (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Uttar Pradesh— <i>contd.</i>														
Chandausi	44	47	55.5	4	7	25	29.5	10	
Dehra Dun	186	68	19.0	1	4	5	..	20	5.6	5	
Etawah†														
Faizabad-Ayodhya	94	35	19.4	5	..	2	..	14	7.7	5	
Farukhabad-Fatehgarh	78	65	43.3	18	1	2	..	32	21.3	13	
Firozabad	93	55	30.8	9	2	20	11.2	2	
Ghazipur	35	34	50.5	5	..	2	..	9	13.4	..	
Ghaziabad	68	47	35.9	6	2	12	9.2	4	
Gonda	35	17	25.3	1	3	4.5	2	
Gorakhpur	150	86	29.8	7	6	3	..	21	7.3	7	
Hapur	65	58	46.4	13	1	3	..	18	14.4	7	
Hardwar	73	58	41.3	3	4	2	..	24	17.1	9	
Hathras†														
Jaunpur	59	35	30.8	4	..	3	..	12	10.6	1	
Jhansi	132	113	44.5	22	2	1	..	29	11.4	12	
Kanpur	810	445	28.6	118	28	51	6	334	21.4	72	
Kanganj	34	10	15.3	3	3	4.6	..	
Khurja†														
Koil-Aligarh	167	47	14.5	12	4	3	..	32	10.0	6	
Lucknow	525	304	30.1	24	12	26	..	149	14.8	47	
Mathura	118	141	62.1	22	4	4	..	42	18.5	10	
Mau-Nath Bhanjan †														
Meerut	198	178	46.7	7	7	9	4	43	11.3	10	
Mirzapur-Vindhyachal	100	115	59.8	7	2	3	..	33	17.2	14	
Moradabad	165	135	42.5	11	6	6	..	40	12.6	11	
Muzaffarnagar	81	48	30.8	8	2	3	..	19	12.2	8	
Pilibhit	47	27	29.9	6	1	1	..	14	15.5	5	
Rampur†														
Saharanpur	178	135	39.4	57	6	5	..	93	27.2	26	
Sambhal†														
Sitapur	52	23	23.0	2	..	8	8.0	4	
Shahjahanpur	112	73	33.9	23	1	1	1	29	13.5	11	
TOTAL	4,846	3,088	33.1	441	128	209	11	1,338	14.4	374	

ARREAR INFORMATION

Andhra Pradesh

w/8 6-9-58

Adoni	72	51	36.8	1	2	..	11	7.9	1
Anantpur	42	106	131.3	2	1	3	1	23	28.5	4
Anakapalli†													
Bhimavaram	41	44	55.8	3	1	4	1	1	21	26.6	3
Chirala	48	20	21.7	7	1	16	17.3	2
Chittoor†													
Cuddapah	46	27	30.5	1	2	..	5	5.6	2
Ellore	108	69	33.2	2	2	3	2	29	13.9	1
Gudivada	40	40	52.0	6	1	17	22.1	3
Guntur	168	275	85.2	..	2	..	7	9	5	1	82	25.4	21
Guntakal	43	21	25.4	3	1	10	12.1	2
Kakinada	123	45	19.0	3	1	25	10.6	9
Kurnool	74	51	35.9	10	1	..	33	23.1	3
Masulipatnam	95	29	15.9	8	1	3	..	27	14.8	4
Nandyal	40	21	27.0	3	3	15	19.5	..
Nellore	107	121	58.8	3	3	6	1	50	24.3	20
Proddutur†													
Rajahmundry	137	77	29.3	1	6	2.2	1
Tenali†													
Vijayawada	253	129	26.6	22	12	5	1	98	20.2	31
Vlsakhapatnam	148	100	35.1	10	10	12	..	57	20.0	15
Vizianagram	81	40	25.7	5	2	3	..	29	18.6	4
Hyderabad	1,291	214	8.6	20	25	23	..	142	5.7	13
Warrangal†													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh—contd.														
<i>w/e 6-9-58—contd.</i>														
Nizamabad . . .	81	12	7.7	2	2	5	3.2	..	
Kothagudiam†														
Secunderabad . . .	192	140	37.9	1	3	4	9	..	50	13.5	14	
TOTAL . . .	3,230	1,632	26.3	8	2	..	104	94	78	7	751	12.1	153	
<i>w/e 13-9-1958</i>														
Adoni . . .	72	47	26.7	1	1	1	..	12	8.6	..	
Anantpur†														
Anakapalli . . .	51	29	29.6	2	2	1	1	25	25.5	7	
Bhimavaram . . .	41	33	41.8	5	2	17	21.6	2	
Chirala†														
Chittoor†														
Cuddapah . . .	46	42	47.5	..	1	..	3	..	5	3	21	23.7	3	
Ellore . . .	108	60	28.9	2	..	3	..	39	18.8	11	
Gudivada . . .	40	46	59.8	3	1	16	12.8	6	
Guntur . . .	168	267	82.8	..	1	..	10	7	11	..	99	30.7	18	
Guntakal . . .	43	29	35.1	2	..	1	..	12	14.5	1	
Kakinada†														
Kurnool . . .	74	50	35.1	2	6	3	..	29	20.4	3	
Masulipatnam†														
Nandyal . . .	40	25	32.5	1	1	3	1	20	26.0	2	
Nellore . . .	107	88	42.8	8	4	3	1	43	20.8	8	
Proddutur†														
Rajahmundry . . .	137	55	20.9	5	2	5	..	32	12.1	7	
Tenali . . .	76	63	43.1	..	1	..	1	1	4	..	23	15.7	6	
Vijayawada . . .	253	185	38.1	..	1	..	13	4	10	..	78	16.1	22	
Visakhapatnam . . .	148	83	29.1	..	1	..	11	11	13	..	61	21.4	10	
Viziangaram . . .	81	51	32.7	..	1	..	2	1	2	1	28	17.9	6	
Hyderabad . . .	1,291	340	13.6	29	18	37	..	224	8.9	12	
Warrangal†														
Nizamabad†														
Kothagudiam†														
Secunderabad . . .	192	160	43.4	7	4	9	..	50	13.5	11	
TOTAL . . .	2,968	1,653	29.0	..	5	..	107	68	111	8	879	15.4	135	
<i>w/e 4-10-58</i>														
Aboni . . .	72	54	38.9	1	4	2	..	18	12.9	7	
Anantpur†														
Anakapalli . . .	51	33	33.6	1	1	3	1	..	23	23.3	6	
Bhimavaram . . .	41	46	58.3	2	1	7	7	2	
Chirala†														
Chittoor . . .	50	101	105.0	1	2	4	4.2	..	
Cudhapah . . .	46	24	27.1	1	..	2	1	7	7.9	..	
Ellore . . .	108	64	30.7	1	..	4	..	28	13.4	4	
Gudivada . . .	40	68	88.4	4	2	3	..	19	24.7	..	
Guntur . . .	168	223	69.1	10	10	10	..	116	35.9	23	
Guntakal . . .	43	29	35.0	2	7	8.4	..	
Kakinada . . .	123	38	16.1	7	2	28	11.8	9	
Kurnool†														
Masulipatnam†														
Nandyal . . .	40	46	59.8	2	12	15.6	3	
Nellore . . .	107	112	54.4	10	1	1	..	30	14.6	8	
Proddutur†														
Rajahmundry . . .	137	31	11.8	6	2	5	..	30	11.4	4	
Tenali . . .	76	50	34.2	1	..	3	..	13	8.9	3	
Vijayawada . . .	253	143	29.5	..	1	..	14	4	5	..	79	16.3	16	
Visakhapatnam . . .	148	129	45.3	16	25	41	..	116	40.7	8	
Viziangaram . . .	81	50	32.1	2	1	2	..	28	17.9	8	
Hyderabad . . .	1,291	610	24.4	35	12	14	..	188	7.5	22	
Warrangal†														
Nizamabad . . .	81	15	9.6	3	3	4	1	11	7.1	..	
Kothagudiam . . .	80	13	8.4	4	2.6	..	
Secunderabad . . .	192	147	39.8	3	2	5	..	58	15.7	15	
TOTAL . . .	3,228	2,026	32.6	1	1	..	120	76	103	2	829	13.4	136	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox, P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M. D.=Maternal Deaths ; D. R.=Death Rate ; I. D.=Infantile Deaths (included in total deaths) ; ..=Nil information .

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh		<i>w/e 6-9-1958</i>											
Bilaspur†		85	88	53·8	1	..	13	3	3	..	42	25·6	..
Burhanpur		47	33	36·5	6	1	1	..	18	19·9	..
Damoh													
Jabalpur†		64	22	17·8	7	1	1	..	12	9·7	..
Khandwa													
Raipur†													
Murwarat													
Sagar†													
Chindwara		33	26	40·9	3	8	12·6	1
Raigarh		39	14	18·6	1	1	..	2	2·6	..
Itarsi†													
Greater Gwalior		297	135	23·6	2	..	2	1	16	2·8	2
Indore		423	208	25·5	14	5	44	2	108	13·2	37
Ratlam		82	22	13·9	8	4	10	..	22	13·9	..
Ujjain†													
Bhopal City†													
Mandsaur		48	20	21·6	1	3	3·2	2
TOTAL		1,118	568	26·4	1	..	51	18	62	3	231	10·7	42
		<i>w/e 13-9-1958</i>											
Bilaspur		54	25	24·0	5	2	29	27·9	11
Burhanpur		85	89	54·4	12	4	3	..	27	16·5	..
Damoh		47	33	36·5	3	7	7·7	..
Jabalpur†		64	27	21·9	3	..	1	..	9	7·3	..
Khandwa													
Raipur†													
Murwarat													
Sagar†													
Chindwara		33	34	53·3	2	3	18	28·3	11
Raigarh		39	11	14·6	2	2·6	1
Itarsi†													
Greater Gwalior		297	141	24·6	2	1	9	..	16	2·8	4
Indore		423	337	41·4	15	7	39	2	111	13·6	38
Ratlam		82	36	22·8	3	2	11	..	16	10·1	..
Ujjain		183	67	19·0	16	3	..	1	40	11·3	7
Bhopal City†													
Mandsaur		48	10	10·8	3	3·2	..
TOTAL		1,355	810	31·0	64	22	63	3	278	10·6	72
		<i>w/e 20-9-58</i>											
Bilaspur†		85	90	55·0	14	..	3	..	24	14·6	..
Burhanpur		47	29	32·0	5	11	12·1	..
Damoh													
Jabalpur†		64	28	22·7	7	1	17	13·8	..
Khandwa													
Raipur†													
Murwarat													
Sagar†													
Chindwara†													
Raigarh		39	12	16·0	..	1	2	2	1	..	6	8·0	..
Itarsi†													
Greater Gwalior		297	229	40·0	2	1	1	..	18	3·1	3
Indore		423	323	39·7	21	7	38	..	103	12·6	23
Ratlam		82	24	15·2	10	..	19	..	29	18·3	..
Ujjain		183	75	21·3	12	1	..	1	45	12·7	13
Bhopal City†													
Mandsaur		48	17	18·4	1	2	2·1	1
TOTAL		12,68	8,27	33·9	..	1	74	12	62	1	255	10·4	40

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Town	Mid-year Popn Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh—concl.				w/e 27-9-58											
Bilaspur†															
Burhanpur	85	46	28.1	22	2	3	..	41	25.0	..		
Damoh	47	30	33.1	2	9	9.9	..		
Jabalpur†															
Khandwa	64	24	19.5	..	1	..	1	1	11	8.9	..		
Raipur†															
Murwar†															
Sagar†															
Chindwara	33	27	42.5	4	2	..	4	24	37.8	9		
Raigarh	39	7	9.3	1	2	1	..	5	6.6	..		
Itarsi†															
Greater Gwalior	297	89	15.4	3	..	1	..	23	4.0	5		
Indore	423	244	29.9	13	4	41	1	99	12.1	29		
Ratlam	82	38	24.0	5	..	22	..	27	17.1	..		
Ujjain†															
Bhopal City†															
Mandsaur†															
TOTAL	1,070	505	24.5	..	1	..	51	11	68	5	239	11.6	43		
West Bengal				w/e 16-8-1958											
Asansol	96	6	3.3	1	1	4	2.2	..		
Baidyabati†															
Bally	71	5	3.7	..	1	2	..	3	2.2	..		
Bankura	51	15	15.3	1	1.1	..		
Bansberia†															
Baranagar	99	31	16.3	1	1	4	6	..	26	13.7	8		
Basirhat	43	3	3.6	1	1	1.2	..		
Berhampur	69	73	55.2	1	7	5.3	1		
Bhadreswar	44	6	7.1	1	..	1	1.2	..		
Bhatpara	150	43	14.9	18	2	3	..	36	12.5	6		
Budge Budge	32	18	29.3	1	2	..	6	9.8	..		
Burdwan	85	24	14.7	1	..	1	9	5.5	..		
Calcutta	2,931	1564	27.8	32	2	..	33	81	164	2	747	13.3	230		
Chandpur†															
Chandernagore	41	12	15.3		
	58	43	38.7	1	1	3	1	..	19	17.1	4		
Cooch Behar†															
Darjeeling	39	14	18.7	7	9	12.0	..		
English Bazar	37	4	5.6	1	1	..	2	2.8	..		
Garden Reach	131	11	4.4	4	2	1	..	15	6.0	5		
Halisahar	43	3	3.7	2	2.4	..		
Hooghly Chinsura	63	52	43.0	3	6	12	9.9	4		
Howrah	477	188	20.6	11		
Jalpaiguri	55	21	19.9	2	10	9.5	..		
Kamarhati†															
Kanchrapara	104	30	15.0	3	1.5	..		
Kharagpur	79	4	2.6	2	1.3	..		
Krishnagar	69	1	0.8	..		
Midnapur	47	43	47.7	1	1	3	1	..	17	18.9	..		
Nabadwip	87	45	27.0	9	10	6.0	..		
Naihati	67	10	7.8	3	13	10.1	4		
North-Barrackpore	37	1	1.4		
Panihati	76	3	2.1	9	3	3	23	15.8	..		
Purulia	52	6	6.0	1	2	2.0	..		
Santipur	55	23	21.8	1	6	5.7	1		
Serampore	92	62	35.1	1	5	1	5	..	26	14.7	9		
Siliguri	71	30	22.0	1	0.7	..		
South Dum Dum	114	2	0.9	1	..	1	0.5	..		
South Suburban	149	38	13.3	1	2	1	..	8	2.8	5		
Titagarh	85	28	17.2	7	..	1	2	11	6.7	2		
TOTAL	5,799	2,461	22.1	57	4	..	104	142	223	5	1200	10.8	346		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from —											Total	D.R.*	I.D.		
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.							
		w/e 23-8-1958															
West Bengal																	
Asansol†																	
Baidyabati†																	
Bally	71	4	2.9	..	1	6	4.4	..				
Bankura†																	
Bansberia†																	
Baranagar	99	55	29.0	4	5	..	19	10.0	8				
Basirhat	43	6	7.3	1	2	2.4	..				
Berhampur	69	67	50.6	3	2	19	14.4	5				
Bhadreswar	44	5	5.9	3	3.6	..				
Bhatpara	150	34	11.8	12	6	4	..	44	15.3	15				
Budge-Budge	32	11	17.9	1	4	7	11.4	2				
Burdwan	85	23	14.1	2	2	..	11	6.7	..				
Calcutta	2931	1608	28.6	27	1	..	37	63	136	..	663	11.8	229				
Chandannagar	41	19	24.2	1	..	4	5.1	..				
Chandernagore	58	57	51.2	1	4	..	19	17.1	..				
Cooch Behar†																	
Darjeeling	39	18	24.1	2	7	9.4	..				
English Bazar	37	3	4.2				
Garden-Reach	131	15	6.0	3	1	4	..	13	5.2	6				
Halisahar	43	2	2.4	2	2.4	..				
Hooghly-Chinsura	63	52	43.0	4	2	1	..	26	21.5	8				
Howrah	477	243	26.6	3	5	30	34	..	135	14.8	60				
Jalpaiguri	55	28	26.5	2	..	1	..	7	6.6	..				
Kamarhati†																	
Kanchrapara	104	31	15.5	1	..	1	0.5	..				
Kharagpur	79	2	1.3	1	0.7	..				
Krishnagar	69				
Midnapur	47	11	12.2	2	6	6.7	..				
Nabadwip	87	51	30.6	7	..	2	..	13	7.8	2				
Naihati	67	4	3.1	1	5	3.9	1				
North Barrackpore	37	4	5.6	2	2.8	..				
Panihati	76	4	2.7	2	3	3	2	..	18	12.3	..				
Purulia	52	6	6.0	1	1	1	..	4	4.0	..				
Santipur	55	34	32.2	1	..	7	6.6	1				
Serampore	92	50	28.3	..	1	..	5	3	3	1	28	15.9	9				
Siliguri	71	29	21.3	1	..	1	..	5	3.7	..				
South Dum Dum	114				
South Suburban	149	42	14.7	1	1	4	..	8	2.8	3				
Titagarh	85	39	23.9	17	2	2	..	22	13.5	7				
TOTAL	5,652	2,557	23.6	32	3	..	107	126	209	1	1,107	10.2	356				
w/e 30-8-58																	
Asansol	96	7	3.8	4	2.2	..				
Baidyabati†																	
Bally	71	7	5.1	..	1	1	..	2	1.5	1				
Bankura	51	8	8.2	1	2	2.0	..				
Bansberia†																	
Baranagar	99	38	20.0	..	1	..	2	1	6	..	25	13.2	8				
Basirhat	43	2	2.4	3	3.6	..				
Berhampur	69	78	58.9	2	1	22	10.6	4				
Bhadreswar	44	8	9.5	3	3.6	1				
Bhatpara	150	36	12.5	14	4	3	..	41	14.3	14				
Budge Budge	32	12	19.6	..	2	..	1	2	9	14.7	1				
Burdwan	85	20	12.3	1	..	2	..	10	6.1	..				

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from: —											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal—contd.															
Calcutta . . .	2,931	1,774	31.6	9	1	..	50	56	132	1	667	11.9	221		
Champdani . . .	41	18	22.9	3	3.8	..		
Chandernagore . . .	58	59	52.9	3	..	2	14	12.6	3		
Cooch Behar†															
Darjeeling . . .	39	24	32.1	1	6	8.0	..		
English Bazar . . .	37	1	1.4	..		
Garden-Reach . . .	131	24	9.6	3	4	2	..	15	6.0	2		
Halisahar . . .	43	2	2.4	2	2.4	..		
Hooghly Chinsura . . .	63	50	41.3	2	7	2	..	21	17.4	6		
Howrah . . .	477	258	28.2	1	1	..	3	24	34	..	137	15.0	44		
Jalpaiguri . . .	55	23	21.8	2	..	1	..	9	8.5	..		
Kamarhati†															
Kanchrapara . . .	104	25	12.5	3	1.5	..		
Kharagpur . . .	79	4	2.6	1	0.7	..		
Krishnagar . . .	69	1	0.8		
Midnapur . . .	47	41	45.4	1	11	2	14	15.5	..		
Nabadwip . . .	87	45	27.0	9	..	2	..	13	7.8	..		
Naihati . . .	67	3	2.3	1	1	1	4	3.1	..		
North Barrackpore . . .	37	2	2.8	1	2	2.8	..		
Panihati . . .	76	1	0.7	..		
Purulia . . .	52	6	6.0	1	3	3.0	..		
Santipur . . .	55	18	17.1	1	1	4	3.8	1		
Serampore . . .	92	49	27.8	3	2	3	1	25	14.2	10		
Sitiguri . . .	71	33	24.2	2	1	7	5.1	..		
South Dum Dum . . .	114	1	0.5		
South Suburban . . .	149	24	8.4	1	4	..	6	2.1	4		
Tiagarh . . .	85	20	12.3	13	..	3	..	20	12.3	7		
TOTAL . . .	5,799	2,720	24.5	13	6	..	119	107	199	7	1,099	9.9	327		
w/e 6-9-58															
Asansol . . .	96	5	2.7	1	..	2	1.1	..		
Baidyabati†															
Bally . . .	71	9	6.6	1	5	3.7	..		
Bankura . . .	51	17	17.4	1	..	2	2.0	..		
Bansberia†															
Baranagar . . .	99	40	21.1	3	2	5	..	22	11.6	6		
Basirhat . . .	43	10	12.1	2	2.4	1		
Berhampur . . .	69	59	44.6	3	16	12.1	5		
Bhadreswar . . .	44	6	7.1	1	3	3.6	1		
Bhatpara . . .	150	39	13.6	10	..	2	2	35	12.2	12		
Budge-Budge . . .	32	12	19.6	1	5	..	6	3.7	2		
Burdwan . . .	85	20	12.3	1	1	..	1	1	2	..	11	6.7	..		
Calcutta . . .	2,931	1,815	32.3	15	42	54	143	1	669	11.9	204		
Champdani . . .	41	16	20.3	3	3.8	..		
Chandernagore . . .	58	66	59.2	2	1	..	16	14.4	..		
Cooch-Behar†															
Darjeeling . . .	39	22	29.4	2	..	1	..	5	6.7	..		
English Bazar . . .	37	2	2.8	1	1.4	..		
Garden Reach . . .	131	19	7.6	3	2	5	..	21	8.4	8		
Halisahar . . .	43	4	4.9	2	2.4	..		
Hooghly Chinsura . . .	63	60	49.5	..	1	..	1	7	2	..	16	13.2	3		
Howrah . . .	477	217	23.7	1	1	..	2	23	36	..	150	16.4	50		
Jalpaiguri . . .	55	35	33.2	1	..	3	..	12	11.4	..		
Kamarhati†															
Kanchrapara . . .	104	6	3.0	1	0.6	..		
Kharagpur . . .	79	4	2.6		
Krishnagar . . .	69	1	1	0.8	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th October, 1958—*contd.*

Towns	Mid-year popn. Est (000)	B.	B.R.*	Deaths from									Total	D.R.*	I.D.
				C.	S.	P.	F.	DD.	R.D.	M.D.					
West Bengal—concl.															
Midnapur	47	16	17.8	4	7	7.8	..		
Nabadwip	87	50	30.0	2	1	6	3.6	2		
Naihati	67	9	7.0		
North Barrackpore	37	1	1.4	3	4.2	..		
Panihati	76	5	3.4	1	..	6	4.1	4		
Purulia	52	6	6.0	1	..	2	2.0	..		
Santipur	55	27	25.6	..	1	1	3	2.8	1		
Serampore	92	45	25.5	..	1	..	5	1	2	..	19	10.8	2		
Siliguri	71	27	19.8	3	5	3.7	..		
South Dum Dum	114	2	0.9		
South Suburban	149	53	18.5	2	1	1	..	10	3.5	5		
Titagarh	85	27	16.6	17	..	2	..	20	12.3	4		
TOTAL	5,799	2,751	24.7	17	4	..	101	99	214	3	1,082	9.7	310		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I. D.=Infantile Deaths (included in total deaths) ..=Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 11th October, 1958 relate to 84 towns from the States of Madras, Mysore, Rajasthan and Uttar Pradesh with a population of 13,073 thousands out of a total population of 46,461 thousands in 320 towns of the country. The number of births and deaths recorded in these towns were 8,699 and 3,405 registering birth

and death rates of 34·6 and 13·5 per thousand of population respectively.

The town of Kumbakonam in Madras State and Amroha, in the State of Uttar Pradesh have recorded a high death rates of 33·0 and 40·1 per thousand of population, respectively. The following table gives the registered rates for different States:—

States	Current w/e 11-10-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Madras	40·8	15·1	44·8	18·4
Mysore	23·8	8·5	40·3	17·8
Rajasthan	26·0	9·0	19·6	9·8
Uttar Pradesh	33·1	14·4	42·8	15·4
India	34·6	13·5	41·0	16·4

NEW DELHI-2 (INDIA) ; }
The 3rd October, 1958. }

H. R. SHARMA.
for Registrar General India.

Weekly Cotton Press Return

1—Statement of cotton pressed in India for the weeks ending 2nd, 9th, 16th, 23rd and 30th of the month of May, 1958.

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the Adaptation of Laws Order, 1950]

(In Running bales)

States and Region	Variety (Trade Description)	NUMBER OF BALES PRESSED											Total for the month (last year) Col. 9 to Col. 13	Since 1st Sept., 1956	During the corresponding period last year
		During the week ending					Total for the month Col. 3 to Col. 7	During the Corresponding week last year							
		2-5-58	9-5-58	16-5-58	23-5-58	30-5-58		9	10	11	12	13			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
I. ANDHRA PRADESH ¹ 1 Andhra ^a	1. Nandyal	877	255	320	...	162	1,614	...	145	420	175	130	870	4,566(a)	870
	2. Lakshmi Cotton	706	637	273	...	91	1,707	200	2,848	2,788	1,270	1,985	8,091	22,726(b)	11,892
	3. Northern	195	606	203	...	361	1305	391	168	...	82	53	694	3,797(c)	1,250
	4. Western	1,262	1,035	1,446	1,057	1,376	6,176	703	558	1,015	580	797	3,653	30,624(d)	8,621
	5. Mungari	33	33	...	50	132	82	474	8,05
	6. Cocanadas	501	405	381	73	425	1,785	322	739	781	149	890	2,881	4,226(e)	4,872
	TOTAL	3,531	2,938	2,656	1,130	2,415	12,680	1,616	4,508	5,036	2,256	3,855	17,271	66,413(f)	28,310
	STATE TOTAL	...	366	167	533	9,953	11,829
2. Telangana ^a	1. Hyderabad American	4,417	7,053
	2. Jarla	4,569	4,563
	3. Hyderabad Oomras	...	366	167	533	967	213
	4. Hyderabad Gaorani
	5. Kumpta Jayawant
	6. Kumpta Ordinary
	7. Mungari
	8. Warangal & Cocanadas
Cotton Lint	3,541	3,304	2,823	1,130	2,415	13,213	1,616	4,508	5,036	2,256	3,855	17,271	76,366(f)	40,139	
Cotton Waste	74	...	59	133	30	30	1,690	1,444	
II, Assam ¹	Cotton Lint
	Comillas	675	478	525	351	449	2,478	18	123	89	230	16,227	7,268
	Cotton Waste
III. BOMBAY 1. The Konkan & The Greater Bombay.	1. Broach Vijaya
	2. Surti Suyog
	3. Gujarat Dholeras
	4. Saurashtra & Guferat Short Staple (Mathlio)
	5. Jarla	57	27	21	41	100	246	162	43	50	46	96	397	1,532	1,956
	6. Borsi Nagar Oomras
	7. Kumpta-Jayawant (Jayadhar)
	8. Cambodia
	9. Dharwar Upland Laxmi
	10. Kumpta Ordinary
	TOTAL	57	27	21	41	100	246	162	43	50	46	96	397	1,532	1,956
	Cotton Waste	2,998	1,530	1,464	1,323	1,928	9,243	1,717	942	2,240	825	485	6,209	67,141	63,192
2. Gujarat ^a	1. Broach Vijaya	9,153	5,157	2,338	2,278	1,061	19,987	29,794	22,284	7,496	14,404	17,650	91,628	357,647	309,765
	2. Surti Sayog	15,622	7,625	5,481	4,614	1,885	35,227	6,441	10,179	3,807	4,978	2,976	28,381	92,184	92,412
	3. Gujarat Dholeras	11005	9,167	8,414	8,236	11,138	47,960	18,080	12,455	10721	15661	10,441	67,358	146,149	102,002
	4. Saurashtra & Gujarat Short Staple (Mathic)	923	...	923	1,846	2,693	7,820
	5. Others	161	94	83	8	2	348	3,148	1,971	2,847	2,488	1,749	12,203	24,596	34,472
	TOTAL	35,941	22,043	16,316	15,136	14,086	103,322	58,386	46,889	25,794	37,531	32,816	201,416	623,269	538,471

Weekly Cotton Press Return—*contd.*Statement of Cotton pressed in India for the weeks ending 2nd, 9th, 16th, 23rd and 30th of the month of May, 1958—*contd.*

(In Running bales)

I	2	3	4	5	6	7	8	9	10	11	12	13	14	85	
2. Madhya Bharat	1. U. P. Deshi	9,555	9,305
	2. M. B. & Rajasthan American	229	229	69	69	13,573	24,115
	3. Jarila	236	269	23	...	89	617	136	27	163	120,917	114,545
	4. Malvi	850	825	674	888	727	3,964	...	361	202	251	169	983	64,817	26,668
	5. M. B. Coimras	23,076	10,266
	TOTAL	1,086	1,094	697	888	1,045	4,810	136	388	202	251	238	1,215	231,938	184,899
3. Bhopal	1. Malvi	N.A.
	2. M. B. Coimras {
	TOTAL	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	STATE TOTAL
	Cotton Lint	1,086	1,203	707	888	1,045	4,929	136	388	202	251	238	1,215	335,062	184,899
	Cotton Waste	115	96	110	...	321	...	123	103	226	1,770	855
V. MADRAS ²	1. Western
	2. Mungari
	3. White and Red Northern
	4. Madras Cambodia . .	3,316	4,239	3,675	2,821	2,901	16,952	4,100	4,521	5,610	3,617	3,754	21,602	50,683	55,312
	5. Madras Cambodia Uganda	300	175	150	625	218	218	10,085	15,158
	6. Nadam, Bourbon and Uppam
	7. Warrangal & Cocanadas
	8. Tirunelveli	484	495	631	360	636	2,606	570	945	502	520	464	3,001	3,243	5,021
	9. Karunganni	934	792	841	1,143	1,305	5,015	1,228	1,463	1,372	1,283	917	6,263	8,118	12,404
	10. Chinnepathy
	STATE TOTAL
	Cotton Lint	5,034	5,526	5,147	4,499	4,992	25,198	5,898	6,929	7,702	5,420	5,135	31,084	72,129	87,895
	Cotton Waste	542	1,716	1,344	1,523	1,010	6,135	1,387	2,746	696	1,626	2,569	9,024	54,771	49,140
VI. PUNJAB	1. Ambala ¹¹	Punjab Desi	263	...	245	17	72	597	25,006	20,528
		Punjab American . . .	256	204	226	154	51	891	...	5	5	69,827	73,182
		TOTAL	519	204	471	171	123	1,488	...	5	5	94,833	93,710
	2. Jullundur ¹²	Punjab Desi	874	165	...	1,039	8,165	2,290
		Punjab American . . .	1,103	384	...	1,487	35,075	66,074
		TOTAL	1,977	549	...	2,526	43,240	68,364
	3. Amritsar ¹³	Punjab Desi	49	49	5,403	1,302
		Punjab American	120	66	186	21,693	28,111
		TOTAL	169	66	235	27,096	29,413
	4. Ferozepur ¹⁴	Punjab Desi	58	157	95	52	...	362	25	4	...	26	55	26,206	18,689
		Punjab American . . .	2,795	2,226	1,716	1,419	1,284	9,440	2,558	11,650	1,929	948	131	17,216	257,949
		TOTAL	2,853	2,383	1,811	1,471	1,284	9,802	2,583	11,654	1,929	948	157	17,271	275,723

Weekly Cotton Press Return—contd.

I.—Statement of Cotton pressed in India for the weeks ending 2nd, 9th, 16th, 23rd and 30th of the month of May, 1956—contd.

(In Running bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
5. Patiala 15	Punjab Desi	1,025	854	2,676	406	380	5,341	130,533	90,516
	Punjab American . . .	721	159	1,075	690	198	2,843	46	14	...	3	...	63	130,643	165,865
	TOTAL	1,746	1,013	3,251	1,096	578	8,184	46	14	...	3	...	63	261,176	256,381
	STATE TOTAL														
	Cotton Lint	7,095	3,769	6,033	3,287	2,051	22,235	2,629	11,673	1,929	951	157	17,339	710,500	723,591
	Cotton Waste	347	181	41	41	62	672	164	521	29	138	77	460	3,538	2,861
VII. UTTAR PRADESH															
1. Upper Doab 16	U. P. Desi	4,023(h)	3,299
	Perso-American	2,874	2,323
	TOTAL	6,897(h)	5,622
2. Middle Doab 17	U. P. Desi	146	162
	Perso-American	1,712	1,825
	TOTAL	1,858	1,987
3. Lower Doab & Bundelkhand 18	U. P. Desi	20	20	171 (g)	...
	Perso-American	247	...
	TOTAL	20	20	418(g)	...
4. Rohilkand 19	U. P. Desi
	Perso-American
	TOTAL
5. Rest of the U.P. State 20	U. P. Desi
	Perso-American
	TOTAL
	STATE TOTAL														
	Cotton Lint	20	20	9,173(i)	7,609
	Cotton Waste	964	1,847
VIII. West Bengal															
1	Comillas	910	524	608	731	621	3,394	302	603	390	288	339	1,922	12,433	8,631
	Hyderabad American	6	6	3	58
	STATE TOTAL														
	Cotton Lint	910	524	608	731	621	3,394	308	603	390	288	339	1,922	12,436	8,689
	Cotton Waste	385	398	290	488	105	1,666	374	352	410	323	269	1,728	4,823	6,766
IX. Mysore															
1	Mysore American . . .	694	583	764	501	503	3,045	1,384	540	402	450	600	3,376	10,568	5,861
	Kupta Ordinary . . .	632	753	669	1,161	597	3,812	1,054	1,129	1,280	1,218	1,352	6,033	19,486	15,313
	Jayadhar	7,389	5,102	5,827	6,240	6,869	31,427	52,478	5,159
	Nandam, Bourbon & Uppam.	284	899	512	419	242	3,356	216	6,901
	Lakshmi	4,533	3,330	3,975	4,964	4,101	20,903	45,588	3,156
	Others	3,190	3,410	2,526	3,481	5,246	17,853	48,385	1,266
	STATE TOTAL														
	Cotton Lint	16,438	13,178	13,761	16,347	17,316	77,040	7,931 (j)	10,110 (k)	9,218 (l)	8,768 (m)	8,757 (n)	44,602 (o)	176,721	92,656 (p)
	Cotton Waste	38	29	67	71	72	39	..	17	199	2,933	1,024

Weekly Cotton Press Return—concl'd.

I.—Statement of Cotton pressed in India for the weeks ending 2nd, 9th 16th, 23rd and 30th of the month of May, 1957—concl'd.

(In Running bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
X. Rajasthan ¹	M.B. & Rajasthan Americans	1,384	1,155	598	337	176	3,650	405	211	43	659	68,830	51,837
	Rajasthan Desi . . .	1,740	1,212	1,605	300	522	5,379	1,107	344	241	284	264	2,240	115,540	74,670
	M.B. Oomras
	Malvi
	Jarila	6,910	9,890
	U. P. Desi
	State Total														
	Cotton Lint . . .	3,124	2,367	2,203	637	698	9,029	1,512	555	241	284	307	2,899	191,280	136,397
	Cotton Waste
XI. Tripura	Cotton Lint Comilas . . .	293	249	293	93	229	1,157	13	19	56	6	..	184	6,765	3,935
	Cotton Waste
All India	Cotton Lint . . .	108,743	91,731	76,405	69,186	74,453	420,518	119,466	122,366	86,662	12,403	89,271	541,764	3,728,713 (q)	3,026,569
	Cotton Waste . . .	2,413	4,100	3,035	3,507	2,872	15,927	3,064	4,367	1,294	4,211	3,459	16,395	116,743	108,550

¹The whole state.²Guntur, Kurnool, Anantapur, Cuddapah, East Godavari and Krishana.³Warangal, Karimnagar, Adilabad, Medak, Nizambad, Mahabubnagar and Nalgonda.⁴⁴Thana, Kolaba and Greater Bombay.⁵Surat, Broach, Panchmahal, Kalra, Banaskantha, Subarkantha, Baroda, & Mahsanal.⁶Halar, Madhya Saurashtra, Zalamwad, Sorath, Gohilwad, Kutch and Amreli.⁷Aurangabad, Bhil, Parbhani, Nanded and Osmanabad.⁸Nagpur, Wardha, Chanda, Amravati, Akola, Buldana and Yeotmal.⁹East Khandesh, West Khandesh and Nasik.¹⁰Sholapur Ahmednagar, Poona, N. Satara, S. Satara and Kohlapur¹¹Factories closed.

N.A. Not available.

11 —Hissar, Rohtak, Gurgaon, Karnal, Ambala and Simla.

12 —Ludhiana, Kangra, Hoshiarpur and Jullundur.

13 —Amritsar, Gurdaspur.

14 —Ferozepur.

15 —Patiala, Sangrur, Bhatinda, Mohindergarh and Kapurthala.

16 —Dehradun, Saharanpur, Meerut, Bulandshahr, Aligarh, Muzaffarnagar.

17 —Mathura, Farrukhabad, Etah, Agra, Mainpuri, Etawah.

18 —Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur, Banda.

19 —Hardoi, Bareilly, Moradabad, Budaun, Bijnor, Pilibhit, Nainital, Almora, Garhwal, Shahjahanpur.

20 —Mirzapur, Banaras, Gazipur, Jaunpur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri Sitapur, Lucknow, Bikaneri, Rai Bareilly, Sultanpur, Fyzabad, Partapgarh, Unao.

(a) Includes 273 bales not reported before.

(b) .. 3,367

(c) .. 320

(d) .. 3,329

(e) .. 240

(f) .. 7,529

(g) .. 43

(h) .. 42

(i) .. 85

(j) Includes 5,209 bales in respect of merged areas for which variety wise details are not available.

(k) .. 7,542

(l) .. 7,024

(m) .. 6,681

(n) .. 6,381

(o) .. 32,837

(p) .. 55,000

(q) .. 7,614 bales not reported before.

NOTE.—Data in respect of Bhopal region of M.P. State and data for the corresponding weeks last year in respect of Mohakoshal region of M.P. State have not been included due to non-receipt of the returns from the State authorities.

